

```

% fenglish_doc.txt original file name.
%
% Defining usual english caption names (for multilingual french documents)
%
%                               a minimum set by B.Gaulle   11/18/91
%
% History of mods.:
% =====
% \englishTeX didn't call \captionseenglish%           Daniel Flipo   1/16/92
% \beginlanguage introduced to be used at \begin{document} time --bg 02/10/92
% Suppress ":" from ccname and enclname                --bg 09/22/92
% Disallow twice loading (loop pointed by Marc Torzynski)
% "Subject" is better than "Object" (pointed by M.T.)   --bg 10/20/92
% Let the last english option loaded be the last used language
%
%                               as proposed by Marc Torzynski.   --bg 11/06/92
% Don't reset \captionseenglish if already done
% Change \englishTeX to \englishTeXmods                --bg 11/16/92
% \captionseenglish was badly re-initialized(pointed by M. Torzynski) --bg 11/23/92
% Adding the keywords name.                            --bg 02/12/93
% \draftname added.                                    --bg 03/08/93
% Don't define letter captions outside letter.sty.     --bg 03/18/93
% Write "cc" but not "Cc"                              --bg 04/19/93
% \prefacename added as in babel.                      --bg 08/17/93
% TeX--XeT interface added.
% Offer \begin{english} and \end{english} too.         --bg 08/31/93
% \@ifundefined added for plain TeX.                  --bg 09/03/93
% Spaces ignored after \english and \endenglish.
% Space removed after \beginL.                         --bg 10/11/93
% This file is now named english.doc                   --bg 05/02/94
% "Liste of Tables" corrected (a mod from Yannick Lallement). --YL 11/07/94
% Don't start a TeX--XeT paragraph before \begin{document}. --bg 12/08/94
% \dateenglish added for babel.                       --bg 04/07/95
% \english replaced by \selectlanguage{english} when you use it
% (with babel) as the default language for the document. --bg 04/10/95
% TeX--XeT mods removed from format default language. --bg 04/11/95
% Introduce \beginFWdirection ie the first writing direction. --bg 04/13/95
% \usepackage{index,french,english} generated an error message
% (\nodocument) as shown by E.Picheral. This was due to
% \@ifundefined which redefinition was forced and different
% with 2e.                                             --bg 06/08/95
% This file, english.sty renamed frenglish.sty.       --bg 04/04/96
% Replacing \em, \bf by \emph and \textbf.           --bg 97/06/30
% Pass option english to known packages. \@extrasenglish code
% added if any (equal to \extrasenglish outside babel).
% Allow "english" to be a global option.              --bg 97/10/27
% Add \ProcessOptions, needed when fenglish loaded separately.
% \dateenglish loaded with \captionseenglish (for mlp). --bg 97/11/05
% \slidename now defined (targeting seminar).         --bg 97/11/18
% \languagename now defined for mlp.                 --bg 97/11/24
% Introduce \notesname for endnotes.sty              --bg 98/01/20
% Introduce \proofname for AmS classes.               --bg 98/11/13
%
%                               or packages.                --bg 99/04/28
% \emailname added for the letter class.              --bg 99/09/23
% \ProvidesFile added.                                --bg 2000/09/06
% Execute \bibseenglish if any.                       --bg 2000/10/25
% Provide names for the "algorithm" package.
% Let \bibname undefined if not already defined.     --bg 2002/02/06
%
% "@" is assumed to be of category 11.
%
%%

```

```

%%      checksum      = "40322 194 886 9744"
%%
%#<
\ProvidesFile{fenglish.sty}%
      [2002/02/06 english interface for the french(le/pro) package]
%#>
\def\beginlanguage{% might be used at \begin{document} time
      \ifx\selectlanguage\undefined\english%
      \else\selectlanguage{english}\fi}%
\edef\beginFWdirection{L}% write Left to right
\ifx\undefined\babel@core@loaded%
\DeclareOption{english}{\def\beginlanguage{% language to start
      \ifx\selectlanguage\undefined\english%
      \else\selectlanguage{english}\fi}%
}%
\ProcessOptions% English option need, at least, to be processed.
\fi%
\expandafter\ifx\csname englishTeXmods\endcsname\relax%.\ifundefined
\else \endinput \fi%..... \then go ahead \else do nothing \fi
% LaTeX compatible macro for plain TeX
\ifx\@ifundefined\undefined%
\long\def\@ifundefined#1#2#3{\expandafter\ifx\csname%..... \@ifundefined
      #1\endcsname\relax#2\else#3\fi}%
\fi%
%
\global\let\ifnonenglishheadings\iffalse%english style allows english headings!
%
\gdef\captionsenglish{%...... \captionsenglish
\ifx\captionsnames\captionsenglish\else
% The following for styles: article, report and book
\def\pagename{page}%
\def\refname{References}%
\def\abstractname{Abstract}%
\ifx\bibname\undefined\else%
\def\bibname{Bibliography}%
\fi%
\csname bibsenglish\endcsname%
\def\contentsname{Table of Contents}%
\def\listfigurename{List of Figures}%
\def\listtablename{List of Tables}%
\ifx\listalgorithmname\undefined\else%
\def\ALG@name{algorithm}%
\def\listalgorithmname{List of \ALG@name s}%
\fi%
\def\indexname{Index}%
\def\seename{\emph{see}}}% used normally in makeidx.sty
\def\seealso{\emph{see also}}}% added macro \seealso
\def\figurename{Figure}%
\def\tablename{Table}%
\def\partname{Part}%
\def\glossaryname{Glossary}%
\def\kwname{\textbf{Keywords}: }%
\def\draftname{DRAFT}%
\def\prefacename{Preface}%
% The following is for AmS packages/classes
\ifx\proofname\undefined\else%
\def\proofname{Proof}%
\fi%
% The following is only for the letter style
\ifx\opening\undefined\else%

```

```

\def\headtoname{To}%
\def\ccname{cc}%
\def\enclname{Encl}%
\def\PSname{PS:}% Post-Scriptum
\def\Objectname{Subject:}% Subject of the letter
\def\YourRefname{Your Ref:}% Your reference number
\def\OurRefname{Our Ref:}% Our reference number
\def\emailname{email:}% Email address
\fi%
% The following is for seminar
\ifx\slidename\undefined\else%
  \def\slidename{Slide}%
\fi%
% The following is for endnotes 98/01
\ifx\notesname\undefined\else%
  \def\notesname{Notes}%
\fi%
% The following is only for report and book styles
\ifnonenglishheadings% Bypass to a LaTeX slight bug...
\else%
  \def\chaptername{Chapter}%
\fi%
  \def\appendixname{Appendix}%
  \fi%
\let\captionnames\captionseenglish%
}%
% The command to initialize all english tools except hyphenation:
\@ifundefined{englishTeXmods}{%..... \englishTeXmods
  \gdef\englishTeXmods{%\captionnames are normally restored by prev. langua.
    \ifx\captionnames\captionseenglish%
      \else\captionseenglish\dateenglish%
    \fi%
    \csname @extrasenglish\endcsname%
    \def\language{english}% set it for mlp.
    \let\switchtolanguage\endenglish%
  }%
  }{}%
% extras and even more extras
\ifx\dateenglish\undefined%..... \dateenglish
\def\dateenglish{\def\today{\ifcase\day\or 1st\or 2nd\or 3rd\or 4th\or 5th\or
6th\or 7th\or 8th\or 9th\or 10th\or 11th\or 12th\or 13th\or 14th\or 15th\or
16th\or 17th\or 18th\or 19th\or 20th\or 21st\or 22nd\or 23rd\or 24th\or
25th\or 26th\or 27th\or 28th\or 29th\or 30th\or 31st\fi~\ifcase\month\or
January\or February\or March\or April\or May\or June\or July\or August\or
September\or October\or November\or December\fi\space \number\year}}%
\fi%
\ifx\undefined\babel@core@loaded%
  \edef\extrasenglish{}\def@extrasenglish{\extrasenglish}% for other packages.
\else% the date mechanism
  \let\extrasenglish\englishTeXmods%
\fi%
% The command to set english hyphenation:
% (normally set at INITeX) it should equal to \language=x and nothing else
\@ifundefined{english}{\gdef\english{\relax}}{}% Default..... \english
% The command to do extra things and switch to another language:
\@ifundefined{switchtolanguage}{%..... \switchtolanguage
  \gdef\switchtolanguage#1{#1}}{}%
\let@enstORI\switchtolanguage% save original switchtolanguage if any.
\let\englishORI\english% assuming \language=x was set here
\def\endenglish{\let\switchtolanguage@enstORI%

```

[illegible]