

```

% historyk.pdf
%
% kbconfig HISTORY
%
% mods: Let \csubinverse be known of the rest of the world. --bg 04/20/93
% Let 7-bit accent macro produce 8-bit chars when possible. --bg 04/28/93
% Accent macros must produce only one token otherwise
% upper/lower-casing isn't correctly
% converted (bug found by Jean-Claude Vivalda). --bg 05/06/93
% V1.3 Define << and >> for any 8-bit usage(pointed by H.Soulard)--bg 08/10/93
% V1.4 Define a \global \FontEncoding as "CMR" or "ECM" to pass
% to any run-time style such as french.sty (but let
% it asis if already defined). --bg 08/18/93
% Add code for kb2lex interface (only for TeX V3.xx) --bg 08/27/93
% #4 param of \Maded wasn't a balanced text. --bg 08/30/93
% Replace \FontEncoding by \encodingdefault of NFSS2. --bg 08/31/93
% Current encoding used if any (\f@encoding). --bg 09/01/93
% \@tempa no more redefined bec. used in \input def of NFSS2--bg 09/02/93
% But ngow using \@tempc...
% Introduce \protect outside kb2lex because a macro such
% as \copyright is not expandable due to alignement macros. --bg 09/03/93
% LaTeX loop over \@tempc solved by \edef to null in[ macros
% Issue warning when TeX V3 and CMR only. --bg 11/22/93
% \f@encoding may be undefined. --bg 12/03/93
% Allow the NFSS2 user to change of font encoding on the fly--bg 12/15/93
% \input replaced by \@input if defined. --bg 12/17/93
% V1.5 Accent macros redefined at end to usual if outside MlTeX.
% \aa and \AA were not redefined for 8bits. --bg 12/21/93
% V1.6 Let \ifECM be globally false if undefined. (pb of Goussard)--bg 03/23/94
% V1.7 Correction of previous change that was wrongly coded. --bg 03/31/94
% V1.8 \ISOfalse disactivated too much active chars. --bg 05/09/94
% V1.9 Reduced usage of backslash in lex code.(pointed by Vial). --bg 05/30/94
% V1.10 Give a global default definition for < and >. --bg 06/07/94
% V1.11 Reset invalid LaTeX2e chars to internal \catcode 11. --bg 09/27/94
% Hack the format dumping time to set catcode correctly
% (normally to remove for the 94-95 winter release of LaTeX)--bg 09/29/94
% Take care of \I & \SS already defined in 2e.
% Correct 2e bug regarding OTl uppercasing of ^^Y, ^^Z --bg 09/30/94
% Document these hacks via \wlog. --bg 10/03/94
% Create a latex209.cfg to patch latex209.def which wrongly
% reset \catcodes. --bg 10/06/94
% Let 8bit << and >> be equal to \fguillemets and \endfguillemets
% avoiding them to become back 7bit when a solution will
% be found... --bg 10/10/94
% Don't define globally current 2e TextSymbols.
% Don't redefine accent macros for 2e Tl which includes something
% like our MlTeX \csubinverse mechanism. --bg 10/26/94
% Rename \: in \r wich is what 2e is using. --bg 11/16/94
% Stronger error messages when running initex TeX+cmr.
% Define MlTeX \OTl\accent macros for 2e. --bg 11/30/94
% Take in account case when hexa code are undefined for
% double chars outside MlTeX. --bg 12/17/94
% Set low invalid chars to 11 even if gobbled.
% Reload of kbconfig needed only for OTl. --bg 12/18/94
% 8bit chars in Tl were not defined as accent on letter. --bg 12/20/94
% V1.13 oe, ae, etc were not activated in Tl ISO.
% Uppercase of oe, ae, etc were not set to 11 in Tl.
% Force Tl if necessary when emulating 209. --bg 01/05/95
% V1.14 \@c@@ wasn't correctly defined for OTl in 2e. --bg 01/09/95
% Avoid hexa codes to point back elsewhere in non-ISO.

```

```

%      Enforce \ifHB and encodingdefault wishes.                                --bg 01/10/95
%      Use ^^9c as a gateway to uppercase estzet.
%      \csubinverse didn't use hexa code for non-ISO.
%      \r was undefined in plain TeX.
%      \lccode of \OE was undefined in (and for) plain TeX.
%      Plain def of pounds must not use \char bu \string                        --bg 01/14/95
% V1.15 Let \i and \j be i and j inside 2e.                                    --bg 02/05/95
% V1.16 Low chars need to be ll, even in 2e.                                    --bg 03/06/95
%      Force Tl in latex209.cfg for non-MlTeX engines to ensure
%      that hyphenation be clean. Sugg. by D.B.Roegel.
%      No lcc/ucc for normal Tl ISO slots (correctly set in font).
%      In Tl ISO, chars are not initiated. This was true except
%      for MACRO & LIGS (chars were already activated).
%      \DOhex provides chardef adjustment in hex. True but not
%      for LEX.
%      Plain has an incompatible \i definition for \csubinverse
%      and no definition of \pounds (was wrongly removed by me
%      as few defs for \oe \OE \ae \AE \o \O \ss... (just that!)
%      probably when modifying the code for LEX and 2e).                        --bg 03/07/95
%      TeX3+CMR warning message rewritten in english and no more
%      issued twice.                                                            --bg 03/08/95
% V1.17 Reset \Def \Let \Let to undefined as suggested by jose
%      Grimm to avoid conflicts with theorem.sty.                              --bg 10/12/95
% V1.18 Math accents too introduced!.                                          --bg 01/09/96
% V1.19 Allow to load various keyboard.xxx with \@kbencoding which
%      is defaultly set to "dat". See keyboard.sty too.                        --bg 02/21/96
%      Add \documentstyle option "english" for compatibilty, thus
%      avoiding to load english.sty.                                           --bg 04/05/96
% V1.20 Don't use DC accents in maths with LaTeX Tl font encoding.             --bg 06/25/96
% V1.21 Messages numbered.                                                    --bg 96/10/29
% V1.22 accent macros modified to accept \relax argument.                    --bg 97/02/18
%      accent macros no more generate an enclosed token {x}.                  --bg 97/02/19
% V2.00 Removing stuff for 2.09 and TeX V2
%      Introducing \ifEightBitOutput generation to let packages
%      know if they can output 8bit or not.                                    --bg 97/06/23
% V2.01 \ifISO replaced internally by \nonActiveCar. At users
%      level one use \ACTIVEtrue/false.                                         --bg 97/09/19
% V3.00 keyboard.dat file is now fully a configuration file for
%      the user. New keyboard.cfg is for site installator.
%      Encoding tables are now in xxx.kbc (instead of
%      keyboard.xxx).                                                          --bg 97/09/26
%      ^^9c is used by various encoding, specially ansinew. So
%      i introduce \unusedslot which is defaultly set to ^^9c.
%      \unusedslot can be changed in *.kbc files.                             --bg 97/10/14
% V3.01 8-bits chars with accents are usable in math with MlTeX.
%      Except for \c \r and \H (no solution found, none found
%      in plain.tex too).                                                      --bg 97/11/06
%      Define \degre.                                                         --bg 97/12/09
%      Now use \ESC before any TeX cs in *.kbc when wiling
%      to pass TeX code to LEX. \copyright and \degre have
%      been modified in *.kbc.                                                 --bg 97/12/10
%      Output of \copyright need not to be protected.                         --bg 97/12/19
% V3,02 \ESC wasn't defined.                                                  --bg 98/01/23
% V3,03 There was no reason to modify OTl accent macros of LaTeX
%      when kbconfig called from Tl. Removed.                                  --bg 98/01/27
% V3,04 Conversion of \degre to 8bits was wrong due to mismatch.             --bg 98/02/06
% V3,05 Let \ifECM be true for any other encoding except OTl, this
%      will allow LYl to be used too.                                          --bg 98/02/17
% V3,06 As pointed by Thomas Esser, ^^e9 generated a LaTeX error
%      during the second pass in a non-MlTeX engine, because

```

```

%      ^^e9 was activated in the first pass. No more use in the
%      second pass. --bg 98/04/15
% V3,07 Files names may have a blank space on Mac, thus you can't
%      use \jobname asis. I introduce \@jobname for that
%      purpose. --bg 98/04/16
%      Improved by D. Barbier. --bg 98/04/22
% V3,08 As when using MlTeX on Mac kbconfig produced bad accent
%      macros (as pointed by M. Bovani) i found that the
%      \csubinverse generation was absolutely wrong. The 8bits
%      code produced was a T1 code in place of a Mac code.
%      Obviously all input encoding near T1 encoding, e.g. latin1
%      ran perfectly untill now.
%      \csubinverse generation modified. --bg 98/04/29
%      Doing a loop from 128 to 256 for \catcodes setting.
%      Pb to \uppercase es-tzet on Mac. Due to \uccode targeting
%      a non active char. Uppercase hexa code now defined to its
%      uppercase letter value. --bg 98/05/05
%      Redefining \newcount for plain TeX. --bg 98/05/06
% V3,09 Modifications to allow MlTeX to map the Cork encoding.
%      This can be forced by any def. of \forceMlTeXtoCork
%      but then removing the facility to have usual 8bits
%      chars with diacritics in math. --bg 98/05/11
%      \imath and \jmath used in math in place of \i and \j.
%      Letters with diacritics now available in math with
%      MlTeX T1, as well as OT1.
%      Math accents for Plain corrected when ec font used.
%      Any \cedilla macro for math somewhere? --bg 98/05/12
%      Message issued when \unusedslot is already actively active
%      or just a char.
%      ^^P and ^^Q used erroneously in T1 with MlTeX for \i & \j
%      as pointed by M. Bovani. --bg 98/05/15
% V3,10 Defaultly chars have no lower/upper case except
%      themselves. --bg 98/06/09
%      \texteuro defaultly defined. --bg 98/06/12
% V3,11 Defaultly, in T1 too, chars have no lower/upper case except
%      themselves. --bg 98/07/07
%      When T1, \ss comparison now done on the target code ^^ff. --bg 98/08/13
%      Initiate codes each time of loading (except for LEX)
%      exactly as LaTeX do for the format. Just for caution. --bg 98/08/14
%      Never activate chars for math when T1. --bg 98/09/01
%      ^^Y ^^Z ^^P ^^Q were invalid chars with plain TeX. --bg 98/09/07
%      Validate \forceMlTeXtoCork only when MlTeX. M. Bovani
%      was pointing that hack for other formats. --bg 98/09/12
%      Correction of \ifx\texteuro. --bg 98/12/15
% *.kbc all char-macros are now ended with {} as suggested by
%      Michel Bovani. --bg 99/01/15
% V3,12 \ForceMlTeXtoCork apply also with plain T1. --bg 98/12/18
% V3,13 Force ^^[ and ^^_ to be chars for Plain OT1 hyphenation. --bg 98/12/22
%      When substitution goes through a cs then end it with {}. --bg 98/12/24
% V3,14 \fguillemets and \endfguillemets replaced by \guillemotleft
%      and \guillemotright to allow 8bits verbatim. --bg 99/01/07
%      Applemac hack: Reset ^^df to \ss when pointing to ^^ff. --bg 99/01/15
%      Not doing it twice when making the format. \fmtname
%      redefined temporary for testing second pass.
%      Releasing \dumpORI and \fmtnameORI to \undefined.
%      As all .kbc files contain cs with ending {}:
%      (it's now assumed to be done everywhere!)
%      i introduce \GobbEmpty to remove empty block after
%      alphabetic cs when generating lex file (+I added).
%      Accepting LO1 encoding as a default, if usefull... --bg 99/01/18

```

```

% \fmtname was wrongly set to \undefined at run-time as
% pointed by Werner Struckmann. --bg 99/01/27
% V3,15 Remove any trailing {} when doing \csubinverse. Apply
% to \i, \I, ... --bg 99/02/01
% V3,16 Arg with \i{} and \j{} in \if tests should be the last.
% \IeC now defined as in inputenc.
% V3,17 Using \IeC when encoding a char when otherwise it would
% have pointed to an active char. This should solve pb
% when using \MlTeXtoCork with LaTeX over any write.
% \DEBUGmessage introduced for debugging. --bg 99/02/09
% \IeC usage with plain corrected. --bg 99/02/12
% V3,18 Should check again \unusedslot after keyboard.dat loading. --bg 99/02/19
% V3,19 \fmtname no more temporary set to \undefined. (Pb reported
% by A. Valentin). Now define \InitexTime cmd.
% \@jobname setting correction (for space in \fmtname). --bg 99/02/19
% V3,20 Disable encTeX when dumping. --bg 99/03/25
% Message about \unusedslot now numbered. --bg 99/04/13
% V3,21 \I was never generated back to 7bit as pointed by Werner
% Struckman. --bg 99/04/22
% Keyboard package modified to allow kbconfig to work only
% globally, otherwise previous activated chars like ":"
% in French were disactivated when moving to another
% input encoding. --bg 99/04/28
% Chars with diacritics, when activated for math, should
% be globally disactivated for text, otherwise there is
% a mess and "missing $" message occurs. --bg 99/04/29
% V3,22 Set \@kbspecials for any \kbtypeout cs like in french
% or keyboard packages to typeout with the appropriate
% keyboard encoding.
% Set \@kbencoding in the format. --bg 99/05/07
% \mathring introduced (LaTeX R9 June 98). --bg 99/07/07
% V3,23 Now loading hyphenation exceptions file, if any, at
% each new encoding switch, but only for the current
% language and never for a dialect. --bg 99/08/09
% Avoid kb-translations when running kb2lex. --bg 99/08/12
% Allowing / to be a letter in .kbc files. --bg 99/08/26
% Loading .kbc file inside a group, like keyboard.sty
% All \catcode on char set of .kbc now done globally. --bg 99/08/27
% Not willing to delay the distribution of the french files
% i release kbconfig asis with \kbtypeout=\typeout.
% New feature will come in a next release. --bg 1999/10/11
% Message -29- relooked. --bg 1999/10/12
% V3,24 \protect should be defined as \relax with Plain T1.
% This is done in frtex.ini --bg 1999/11/04
% \ESC now protects the next \ as a string so that we
% can write any code .lex. Was done for \times and \div
% in (iso)latin1.kbc and (iso)latin9.kbc --bg 1999/11/05
% ... but needs \+ not an \outer def with Plain. --bg 1999/11/23
% V3,25 When defining \unusedslot one should use \gdef --bg 1999/11/24
% Mods processing \@unusedslot.
% Message -59- added to avoid a format have any default
% output text, i.e. page in it.
% Now shipping "\IeC{value}" instead of "\IeC value".
% Ugly hack about ^^df removed. --bg 1999/11/26
% V3,26 \ForceMlTeXtoCork no more used. Replaced by a test
% comparing kbencoding to Cork's one. --bg 1999/12/03
% V3,27 \IeC is now defaultly defined as a mark of input encoding
% processing included.
% Message -61- added in order the user chose between
% inputenc or keyboard (just a warning). --bg 1999/12/20

```

[illegible]